

C4000 Wi-Fi 6 Router



C4000

PRODUCT OVERVIEW

Leading the next generation of Wi-Fi, the C4000 Wi-Fi 6 Router is powered by the industry's latest Wi-Fi 6 802.11 standard with 4X increased data capacities in a dense environment to handle current and future home networks. Lightning fast combined Wi-Fi speeds power ultra-smooth 4K streaming, online gaming, smart home automation, and more.

© Continuit in the

AT A GLANCE

Get ultra-fast wireless speeds for better 4K streaming, gaming or video conferencing experience.

- Up to 6 Gbps Speed 1.2+4.8 Gbps with 4-stream connectivity†
- 4x4 MU-MIMO[‡]- Go faster by simultaneously streaming to multiple devices
- Networking Optimized Dual-Core Processor
 Powerful processor boosts wireless, wired and WAN-to-LAN performance
- 160MHZ Channel Support*- Doubles the speeds as offered by 80MHz channels to provide gigabit speeds for compatible mobile devices and laptops

- 1024-QAM 38% increase in data rate compared to 256-QAM 802.11ac
- · One Wi-Fi SSID for the entire home

KEY FEATURES

- 4X Better Performance than an AC Router
 4-stream Wi-Fi with up to 1.2+4.8 Gbps† for ultrafast wireless speeds**
- More Wi-Fi for More Devices
 OFDMA allows efficient data transmission on up to eight devices at the same time. Uplink OFDMA improves scheduling for multiple clients with varying bandwidth requirements§
- Up to Three Simultaneous .11ac Wi-Fi Streams 3-stream MU-MIMO enables up to three 1x1 devices at the same time
- Wi-Fi 6 supports all current Wi-Fi devices
 Backward compatible with 802.11a/b/g/n/ac client devices
- Powerful Processor
 1 GHz dual-core InterAptiv processor provides a next generation packet offload engine that

ensures smooth 4K UHD streaming and gaming

- Dynamic QoS
 Prioritizes internet traffic by application and device for smoother streaming
- Five Gigabit Ports (1 WAN + 4 LAN)
 Connect more wired devices for faster file transfer and uninterrupted connections
- Smart Connect
 Intelligently selects the fastest Wi-Fi band for every device connection
- Target Wake Time
 TWT significantly improves battery life in Wi-Fi devices such as cell phones and loT devices



Capacity

- Get better performance for all your smart home devices even when your family is busy streaming videos or uploading media files during the internet rush hour
- MU-MIMO[‡] increases bandwidth efficiency by enabling multiple devices to download content at the same time
- More Wi-Fi for More Devices supports a total of 256 clients (128 per band)

Wi-Fi Range

- Faster and expanded coverage throughout your home and for all your devices
- Ultimate Range
 Hi-power amplifiers increase Wi-Fi coverage throughout large homes
- High Performance Antennas
 Eight internal antennas provide reliable
 Wi-Fi coverage over a large area. Antennas are
 optimized for best Wi-Fi performance.

Reliable Connections

With advanced features and best-in-class technology, you'll reduce interference and enjoy more reliable Wi-Fi connectivity

- Beamforming Improves range and performance for both 2.4 and 5GHz devices
- Simultaneous Dual Band Wi-Fi Supports both Wi-Fi bands simultaneously to increase available bandwidth and provides a reliable Wi-Fi network for smooth online gaming without any network congestion
- Pre-Optimized Antennas The C4000 antennas come pre-optimized for best Wi-Fi performance
- QoS Prioritizes internet traffic by application and device for smoother streaming

Reduced Latency

- BSS Coloring The access point and clients can ignore neighboring network channel contention, providing system capacity gain and a significant reduction in latency
- OFDMA Reduces contention and preamble overhead by optimally designating portions of a single Wi-Fi frame to multiple clients, which can reduce latency

Security

- Standards-based Wi-Fi WPA3 security
- Automatic firmware update delivers latest security patches to the router
- Guest network access separate and secure

C4000

Technical Specifications

- Wi-Fi 6 Dual Band Wi-Fi
 - 2.4 GHz: 4x4 (Tx/Rx) 1024 QAM 40MHz, up to 1.2Gbps
 - 5 GHz: 4x4 (Tx/Rx) 1024 QAM 160MHz, up to 4.8Gbps
 - Backwards compatible with 802.11a/b/g/n/ac Wi-Fi
- OFDMA Uplink and Downlink§
- 1024-QAM
- 160MHz channel support*
- Dual-Core 1 Ghx MIPS InterAptiv Processor
- Programmable BSS Coloring
- Supports UNII-1, UNII-2 & UNII-2x (DFS), UNII-3 channels
- · Zero-Wait DFS re-entry
- MU-MIMO Downlink (VHT only, Supported modes: 3x1SS or 2x2SS or 2SS+1SS)[‡]
- · High Power Wi-Fi amplifiers
- Five 10/100/1000 Mbps gigabit Ethernet ports one WAN/LAN and four LAN

- IPv6 Support (Internet Protocol Version 6)
- Multi-color LED status ring
- WPS button Allows easy connection of devices to the network
- WPA3 Enables more robust security for networks
- Reset button
- SFP Port Plug in selected GPON or Ethernet SFP modules for 2Gb/s DL WAN connectivity

Model & Physical Specifications

- C4000 Wi-Fi 6 Fiber Router
 - **Item Weight** 2.86 lbs (1300g)
 - Item Dimensions 8.30 (H), 5.64 (Bottom),
 4.68 (Top) inch
- Package & Item Weight 4.09 lbs (1855.2g)
- Package Dimensions 9.96 (L) x 8.78 (W) x 7.52 (H) inch
- † Maximum wireless signal rate derived from IEEE 802.11 specifications. Actual data throughput and wireless coverage will vary and may be lowered by network and environmental conditions, including network traffic volume and building construction.
- ‡ MU-MIMO capability requires both router and client device to support MU-MIMO
- * Requires client device that supports 160MHz bandwidth on Wi-Fi
- ** When working with 160MHz clients as compared to a 2x2 AC router that does not support 160MHz
- § Requires compatible Wi-Fi 6 clients with DL-OFDMA and UL-OFDMA support